

Confidence in **Fly Control**

Contents

Insect Light Traps (glue board systems)	4 - 13
Electronic Flying Insect Management Systems (electrocutors)	14 - 19
Specialty Flying Insect Management Systems	20 -25
Replacement Glue Boards	26 - 28
Full Line of Replacement UVA Lamps	29 - 30
Mad Hatter® Lamp Recycling Program	31 - 32
Bio-Gel® Cleaning Products	33 - 41
Inspection and Auditing Tools	42 - 47
Parts and Accessories	48





About Us

Supporting you with a comprehensive range of professional flying insect management systems

PestWest products are significant part of several Leadership in Environmental and Energy Design (LEED) accreditation programs. Contact us for details.

It isn't magic that brings excellence to a company; excellence is the result of commitment and hard work by dedicated and experienced people. Whether we're talking about products or processes, no wizardry or easy formulas will solve the challenges of tomorrow, our people will.

PestWest cares about its employees and customers and understand that both are the foundation of our success.

We appreciate your continued support!



3-YEAR WARRANTY (EXCLUDING CONSUMABLES).

TO ORDER YOUR PESTWEST PRODUCTS ONLINE: www.pestwest.com
FOR ALL YOUR LAMP RECYCLING NEEDS: www.lampcompactor.com









Mantis® 1x2 White

Product code: MAN1X2016/125-000197 MAN1X2004/125-000296 (220V – Euro Plug) Mantis® 1x2 Black Product code: MAN1X2076/125-000315 Mantis® 1x2 Stainless Steel
Product code: MAN1X2116/125-000316
MAN1X2114 (220v - Euro plug, special order)

Mantis 1x2











Slim line design catches all sizes of flying insects

- 2½" in depth: ideal for areas where space is limited
- 2x15W 18" T8 (1") Quantum Lamps: 180° coverage and optimum performance
- FDA compliant FEP shatter resistant coating: protection in glass-free zones
- · Patented Reflectobakt sleeve: extending glue board life
- Easy to remove bottom tray, drop-down guard and front cover for quick and easy no tool service
- Available in 110v and 220v

DIMENSIONS

H: 12½" (31.75cm) W: 19" (48.26cm) D: 2½" (6.35cm)

WEIGHT

10 lb (4.5 kg)

POSITION

Wall mounted / Freestanding*

SHIPPING INFORMATION

Net Unit: 3/Case Shipping weight: 33 lb (15 kg) 60/Pallet

REPLACEMENT PARTS



Standard: TUB15W430/130-000160 Shatter resistant: TUB15W490/130-000171 Qty: 2




Original: BOACHA850/135-000047 (Black) Universal: BOAMAN853/135-000070 (Black) BOAMANWT/135-000064 (White)

Matrix: BOAMAN867/135-000064 (Wille)
Plastic: BOAMAN872/135-000048 (Black)
Qty required 1 / Sold Separately in pack of 6







Product code: MEF301X2COVWH/802-000274

Product code: MEF301X2MCOVGRAY/802-000425 **Stainless Steel**

Product code: MEF30SST1X2COVWELL/802-000281 Product code: 802-000503



Transform your Mantis 1X2 with discretion cover

The discretion cover is an option to make any 1X2 (after 2012 models only) a discreet insect light trap suitable for any public area. Retro fits easily with no additional tool required. See below for easy install instructions:

DIMENSIONS

H: 8½" (22cm) W: 18½" (47cm) D: 2½" (12.7cm)

WEIGHT

2 lb (1 kg)



Always unplug system before attempting any maintenance or retro fit.



Remove bottom tray and carefully remove the front grill by slightly bending the tabs at the base of the grill outward from the punched holes and pull away.




Reverse the action with the new discretion cover.



Your new 1x2 discretion is ready to go









Maximized 50W power for high insect density environments

- FDA compliant FEP shatter resistant coating: protection in glass-free zones











- 2x25W 18" T8 (1") Quantum Lamps: 180° coverage and optimum performance
- · Patented Reflectobakt sleeve: extending glue board life
- Dual voltage electronic ballast: energy efficient, fit for 110v-220v environments, specify plug for 220v environment.
- · Gray grid matrix board: provides density counts for HACCP audits
- · Matching discretion cover available (see page 6)

DIMENSIONS

H: 12½" (31.75cm) W: 19" (48.26cm) D: 2½" (6.35cm)

10 lb (4.5 kg)

POSITION

Wall mounted / Freestanding*

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 16 lb (7.3 kg) 30/Pallet



Product Code: WMCVEU Mantis 220v Euro style power cord



Product Code: WMCVUK Mantis 220v UK style power cord

REPLACEMENT PARTS





Universal: BOAMAN853/135-000070 (Black) BOAMANWT/135-000064 (White)

Premium: BOACHA850/135-000047 (Black) BOAMAN872/135-000048 (Black) Qty required 1 / Sold separately in pack of 6







Mantis 2x2

Double sided ceiling suspended system

- 4x15W 18" T8 (1") Quantum Lamps: 360° coverage and optimum performance
- · FDA compliant FEP shatter resistant coating: protection in glass-free zones







REFLECTOBAKT®

- · Patented Reflectobakt sleeve: extending glue board life
- Ceiling suspended: increases placement options
- · Two full size glue boards: extra capture capacity
- Available in 110v and 220v

DIMENSIONS

H: 12½" (32cm) W: 19" (48cm) D: 5" (13cm)

WEIGHT

17 lb (7.7 kg)

POSITION

Ceiling Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 23 lb (10.4 kg) 30/Pallet

REPLACEMENT PARTS





Original: BOACHA850/135-000047 (Black)
Universal: BOAMAN853/135-000070 (Black)
BOAMANWT/135-000064 (White)

Matrix: BOAMAN867/135-000063 (Gray)
Plastic: BOAMAN872/135-000048 (Black)
Qty required 2 / Sold separately in pack of 6







Product code: MANUP3035/125-000201

Max 36 Gray Product code: MANUPM055/ 125-000204 Max 36 White Product code: 125-000404 **220v Uplight: Magnolia**Product code:
MANUPL024/125-000300 (220v - Euro plug)

Mantis Uplight



Wall sconce system for front-of-house areas

- Wall sconce design: out of sight and disguised as a wall light for use in all public areas.
- The front cover can be painted, wrapped or decorated to match existing decor.
- Max 36: 1x36W Plasma Quantum lamp, more attraction and power.
- Max 36: Dual voltage ballast with IEC connection, suitable for 110v-220v environment, specify plug for 220v.









- Uplight:1x15W 18" T8 Quantum Lamp, optimum performance.
- Deflector: reduces wall surfaces from discoloring.
- · Fast & easy service: reduce labor costs.
- · Ideal in all public areas such as restaurants, deli's, cafes, bakeries etc.
- Available in 110v and 220v.

DIMENSIONS

H: 8¾" (22cm) W: 18½" (47cm) D: 8¼" (21cm)

WEIGHT

8 lb (8.6 kg)

POSITION

Wall mounted

SHIPPING INFORMATION

Net Unit: 2/Case Shipping weight: 18 lb (8.2 kg) 56/Pallet





REPLACEMENT PARTS








Original: BOACHA850/135-000047 (Black)
Universal: BOAMAN853/135-000070 (Black)
BOAMANWT/135-000064 (White)

Matrix: BOAMAN867/135-000063 (Gray)
Plastic: BOAMAN872/135-000048 (Black)
Qty required 1 / Sold separately in pack of 6







Stainless Steel Product code: 125-000374

White Product code: 125-000373 Black Product code: 125-000375

Mantis Sirius

Sleek and Stylish

- Superior energy savings by 18% or more
- High frequency electronic ballast: significantly reduces energy consumption, optimum UVA emission and flicker-free lamp
- * 2x14W 21" innovative T5 ($^5/_8$ ") Quantum Lamps: higher UV output, less glass content and energy consumed than T8 and T12 lamps









REFLECTOBAKT®

- FDA compliant FEP shatter resistant coating: protection in glass-free zones
- Dual voltage ballast (110v-220v): wired with NEMA5-15 plug for 110v environment, can be hard wired to different voltage environments

DIMENSIONS

H: 7½" (19cm) W: 23" (58cm) D: 4¾" (12cm)

WEIGHT

6 lb (2.7 kg)

POSITION

Wall mounted (Horizontal or Vertical)

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 8 lb (4 kg)

REPLACEMENT PARTS



Shatter resistant: TUB14W471/130-000177 Qty: 2



Original: BOACHA850/135-000047 (Black) Universal: BOAMAN853/135-000070 (Black) BOAMANWT/135-000064 (White)

Qty required 1 / Sold separately in pack of 6







White

Product code: MANVGA016/125-000286

Stainless Steel Product code: MANVGA136/125-000287

Mantis VEGA

Ultra slim design with superior energy savings of 26% or more

- Ultra slim: only 1½" in depth
- High frequency electronic ballast: significantly reduces energy consumption, optimum UVA emission and flicker-free lamp













- 3x14W 21" innovative T5 (5/8") Quantum Lamps: higher UV output, less glass content and energy consumed than T8 and T12 lamps
- FDA compliant FEP shatter resistant coating: protection in glass-free zones
- Dual voltage ballast with IEC connection: suitable for 110v-220v environments, specify plug for 220v.

DIMENSIONS

H: 1134" (29cm) W: 22.6" (57cm) D: 11/2" (4cm)

WEIGHT

11lb (5kg)

POSITION

Wall mounted

SHIPPING INFORMATION

Net Unit: 3/Case Shipping weight: 37 lb (17 kg) 60/Pallet

REPLACEMENT PARTS



Shatter resistant: TUB14W471/130-000177 Qty: 3





Original: BOACHA850/135-000047 (Black)
Universal: BOAMAN853/135-000070 (Black)
BOAMANWT/135-000064 (White)
Matrix: BOAMAN867/135-000063 (Gray)

Matrix: BOAMAN867/135-000063 (Gray) Qty required 1 / Sold separately in pack of 6



Product Code: WMCVEU Mantis 220v Euro style power cord









ON-TOPPRO











Discreet suspended ceiling system with superior energy savings of 18% or more

- Suspended ceiling system: patented design to fit into 24"x24" ceiling tiles
- · High frequency electronic ballast: significantly
- reduces energy consumption, optimum UVA emission and flicker-free lamp
- 2x14W 21" innovative T5 (5/8") Quantum Lamps: higher UV output, less glass content and energy consumed than T8 and T12 lamps
- FDA compliant FEP shatter resistant coating: protection in glass-free zones

Original:

- Dual voltage ballast with IEC connection: suitable for 110v-220v environment, specify plug for 220v.
- 24" T' cross bar: included for easy retrofit of 48" ceiling tiles
- glue board is interchangeable with other mantis systems

DIMENSIONS

H: 23¹/₄"(59cm) W: 23¹/₄" (59cm) D: 5" (12.7cm)

WEIGHT

12 lb (5.5 kg)

POSITION

Ceiling mounted

SHIPPING INFORMATION

Product Code: WMCVEU

Mantis 220v Euro style power cord

Net Unit: Each Shipping weight: 16 lb (7.3 kg)

40/Pallet

Pr M

Product Code: WMCVUK

Mantis 220v UK style power cord

REPLACEMENT PARTS





Universal: BOAMAN853/135-000070 (Black) BOAMANWT/135-000064 (White) Matrix: BOAMANN867/135-000063 (Gray)

BOACHA850/135-000047 (Black)

Matrix: BOAMANN867/135-000063 (Gray Plastic: BOAMAN872/135-000048 (Black) Qty required 1 / Sold separately in pack of 6







White Product code: SUNBSU015/125-000297

Product code: SUNBSU055/125-000298 **Black** Product code: SUNBSU075/125-000299 Bamboo (Naturale) Product code: SUNNLE095/125-000304







· Naturales are made with REAL BAMBOO material





Elegant, decorative table top fly light

- Decorative design: ideal for front of house use in hotels, restaurants, bars and retail shops.
- · Sunbursts are crafted with steel. Available in white, gray and black
- Dual voltage ballast with IEC connection: suitable for 110v-220v environment, specify plug for 220v.

Sunburst: H: 125/8" (32cm) W: 61/4" (23cm) D: 41/8" (10cm) Naturale: H: 123/4" (32.3cm) W: 10"(25.5cm) D: 41/2" (11.5cm)

Sunburst: 4.2 lb (2.5 kg) Naturale: 4 lb (2 kg)

Freestanding table top design / Wall mounted

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 8.3 lb (3.8 kg)

63/Pallet

Product Code: WMCVEU Mantis 220v Euro style power cord



Product Code: WMCVLIK Mantis 220v UK style power cord

REPLACEMENT PARTS


Standard: TUB18W521/130-000243 Shatter resistant: TUB18W522/130-000247 Qty: 1

· 1x18W CFL lamp: energy effcient





Black: Translucent (plastic):




Qty required 1 / Sold separately in pack of 3




(Shown with translucent glue board)









Nemesis ® CM

80W Corner mounted Quantum power system

- · Corner mount design: wall or corner mounted
- 2x40W 24" T12 (11/2") Quantum Lamps: covers large open areas
- FDA compliant FEP shatter resistant coating: protection in glass-free zones









- The power grid is strategically positioned so that insects fly through the grid to get to the light. It is spring loaded for quick and easy cleaning and servicing
- · Door open shut-off safety switch: extra safety for servicing
- Unique transformer & ballast: ultra low operational costs
- · "Grid-on" light: inspection at a distance
- Catch tray: high capacity and easy to remove

DIMENSIONS

H: 30" (76cm) W: 131/2" (34cm) D: 51/2" (14cm)

WEIGHT

22 lb (10 kg)

POSITION

Wall mounted (corner or flat surface)

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 24 lb (11 kg)

20/Pallet

REPLACEMENT PARTS









White

Product code: NEMQUA016/120-000040 NEMQUA004/120-000038 (220v - Euro plug, special order)

Stainless Steel

Product code: NEMQUA136/120-000046 NEMQUA124/120-000045 (220v - Euro plug, special order)



Powerful, energy efficient system for high insect density areas

- 4x14W 21" innovative T5 (5/8") Quantum Lamps: superior UV output, less glass content and energy consumed than T8 and T12 lamps
- FDA compliant FEP shatter resistant coating: protection in glass-free zones











- "Power on" and "grid on" warning lights offer easy inspection at a distance
- Door open shut-off safety switch: extra safety for servicing
- · Electronic ballast: superior energy savings by 44% or more
- Powder coated white or stainless steel construction: durable for years of low maintenance service
- IEC plug, available in 110v & 220v (special order)

DIMENSIONS

H: 16¹/₂"(42cm) W: 25.6" (65cm) D: 7" (17.7cm)

WEIGHT

26.5lb (12kg)

POSITION

Wall-mounted / Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 29.5 lb (13.4 kg) 18/Pallet

REPLACEMENT PARTS

Shatter resistant: TUB14W471/130-000177 Qty: 4









White

Product code: TITALP015/120-000056









Compact mass capture power at 360°

- Interception protection for non food areas of warehouse, kitchens, cafes, shops and many more.
- 2x15W 12" T5 (5/8") Quantum lamps
- · Available in 110v only

DIMENSIONS

H: 12" (30cm) W: 133/4" (35cm) D: 6"(15 cm)

WEIGHT

9lb (4kg)

POSITION

Wall-mounted / Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 11 lb (5 kg)

60/Pallet

REPLACEMENT PARTS

Standard: TUB15W407/130-000186 Shatter resistant: TUB15W467/130-000185 Qty: 2







Robust Outdoor System

With a splash-proof rating to IPX4, easy installation, and low operational costs, Titan 200 IP's weather-proof design is optimal for ranches with livestock, zoos, orchards, golf courses, and many other outdoor areas.

Environmentally responsible, robust and powerful, the Titan 200 IP is engineered with a metal casing and quality industrial transformer. Optimal eradication of flying insects for years to come. Servicing is quick with easy access to both the catch-tray and powerful 18 Watt CFL lamp.

DIMENSIONS

H: 18½" (47cm) W: 11¾" (30cm) D: 11¾" (30 cm)

WEIGHT

11 lb (5kg)

POSITION

Suspended / Freestanding

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 13 lb (6 kg)



REPLACEMENT PARTS

1 x 18 Watt CFL 4 pin Lamp

Standard: TUB18W521/130-000243 Shatter resistant: TUB18W522/130-000247















Double sided ceiling suspended electrocutor

- 2x15W 18" T8 (1") Quantum shatter resistant lamps: 360° coverage for optimum performance
- FDA compliant FEP shatter resistant coating: protection in glass-free zones
- · Powder coated white steel: durable for years of low maintenance service
- · Ideal for non-food prep areas of kitchens, shops, warehouse etc
- · Available in 110v & 220v (special order)

DIMENSIONS

H: 13" (35 cm) W: 191/2" (50 cm) D: 51/2" (14 cm)

WEIGHT

16 lb (7.5kg)

POSITION

Wall-mounted / Ceiling-suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 18 lb (8.2 kg) 40/pallet

0

REPLACEMENT PARTS

Standard: TUB15W430/130-000160 Shatter resistant: TUB15W490/130-000171 Qty: 2













The IP Code: International Protection Marking; IEC Standard 60529, sometimes interpreted as Ingress Protection Marking, classifies and rates the degree of protection provided against intrusion into mechanical casings and electrical enclosures from body parts such as hands and fingers as well as dust and water.

IP RATING CHART

IP Ratings are represented by combining the first and second digits of the following columns. See examples below.

1ST DIGIT - SOLID DEGREE OF PROTECTION AGAINST SOLID OBJECTS No Protection Protected against a solid object greater than 50 mm, such as a hand. Protected against a solid object greater than 12.5 mm, such as a finger. Protected against a solid object 2.5 mm greater than 2.5 mm, such as a wire. Protected against a solid object 1.0 mm greater than 1.0 mm, such as a tie strap. **Dust protected.** Prevents ingress of dust sufficient to cause harm. Dust tight. No ingress of dust.

DEGREE OF PROTECTION AGAINST WATER No Protection. Protected against water drops. Protected against water drops at a 15 degree angle. Protected against water spray at a 60 degree angle. Protected against water splashing from any angle. Protected against water jets from any angle. **Protected against powerfully** jetting water. Protected against the effects of temporary submersion in water (30 minutes at 3 feet). Protected against the effects of permanent submersion in water (up to 13 feet).

2ND DIGIT - LIQUID



Mantis 1x2IP

Engineered for steam cleaned, hosed-down, high moisture and corrosive environments

- Designed to use in the high moisture areas of dairies, food processing facilities, cruise ships and industrial kitchens
- IP66 rating (EN60529:1992): no ingress of dust and protected against powerfully jetting water
- Professional grade of stainless steel: long life, unrivaled durability and superior corrosion resistance.









- 2x15W 18" T8 (1") Quantum Lamps: 180° coverage and optimum performance
- FEP shatter resistant coating, FDA Compliant for food contact: protection in glass-free zones
- · Patented Reflectobakt sleeve: extending glue board life
- · Utilizing a plastic glue board to eliminate warping moisture and mold
- Available in both 110v and 220v (Chameleon brand)

DIMENSIONS

H: 121/2" (32cm) W: 19" (48cm) D: 31/4" (9.5cm)

WEIGHT

11 lb (5 kg)

POSITION

Wall-mounted

SHIPPING INFORMATION

Net Unit: Each Shipping weight:18 lb (8.2 kg) 40/Pallet

REPLACEMENT PARTS

Shatter resistant: TUB15W490/130-000171 Qty: 2



Qty required 1 / Sold separately in pack of 6









Mantis 4x4



 4x40W 24" T12 (1½") Quantum Lamps: 360° coverage and maximum performance











- FDA compliant FEP shatter resistant coating: Protection in glass-free zones
- · Patented Reflectobakt® sleeve: extends the glue board life
- Industrial double-sided glue board: provides 926sq. inch of protection
- Electronic ballast: energy efficient
- Not explosion proof rated

DIMENSIONS

H: 241/2" (62cm) W: 25"(63.5cm) D: 61/2"(16.5cm)

WEIGHT

26lb (12kg)

POSITION

Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight:31 lb (14.1 kg) 10/Pallet

REPLACEMENT PARTS





Original:

BOA4X4881/135-000053 (Double sided) Qty required 1 / Sold separately in pack of 6







Mantis 4x4 EX

Industrial system for potential dust or powder explosion environments

- Meets all safety legislation: FDA, USDA, UL1559 and European safety standard EN60335-2-59 for insect control equipment
- Independently tested: IP65 (Dust tight, protected against water jets), compliant with Euro-norm PREN 50281-1-1 for potentially explosive atmospheres and satisfies all current EMC standards and NEC Division Code Class II, Division II.











- Suitable for Zone 22 areas (atmosphere with combustible powder or dust), satisfying EN 50014:1994.
- 4x40W 24" T12 (1½") Quantum Lamps: 360° coverage and maximum performance
- · Patented Reflectobakt® sleeve: extending glue board life
- Industrial double-sided glue board: provides 926sq. inch of protection
- Should be installed by a qualified electrician for sensitive environments.

DIMENSIONS

H: 24¹/₂" (62cm) W: 25"(63.5cm) D: 6¹/₂"(16.5cm)

WEIGHT

34 lb (15.4 kg)

POSITION

Ceiling-Suspended

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 40 lb (18.1 kg) 10/Pallet

REPLACEMENT PARTS





BOA4X4881/135-000053 (Double sided)

Qty required 1 / Sold separately in pack of 6







Chameleon EXG

Protection in dust and gas explosive environments

- For use in petrochemical and pharmaceutical industries, distilleries, dairies, flour and sugar mills, and many others.
- Tested to be compliant with ATEX Directives 99/92/EC and 94/9/EC: suitable for use in Zones 22 & 21 (atmospheres with combustible dust or powder), Zones 2 and 1(atmospheres with flammable gases or vapors), IP66 rating.
- Anti-corrosive construction: 304 brushed stainless steel, marine grade aluminum alloy, and a flameproof glass enclosure that prevents the transfer of a potential explosion to the surrounding area.









- 2x18W 24" T8 (1") Quantum Lamps: 180° coverage and optimum performance.
- FDA compliant FEP shatter resistant coating: protection in glass-free
- Adjustable glue board holders: allowing confined space placements as well as flexibility to move glue boards closer to the UVA light source
- Automatic switch off-on opening mechanism: simple & safe service
- Dual voltage ballast: suitable for 110v-220v environments
- Should be installed by a qualified electrician for sensitive environments.

H: 31¹/₂" (77.5cm) W: 35¹/₂" (90cm) D: 12" (30.5cm)

WEIGHT

37 lb (16.8 kg)

POSITION

Wall-mounted

SHIPPING INFORMATION

Net Unit: Each Shipping weight: 40 lb (18.1 kg) 10/Pallet

REPLACEMENT PARTS

Shatter resistant: 130-000174 Qty: 2





135-000050 (Gray) Original:

Qty required 2 / Sold separately in pack of 6







Replacement Glue Boards and Reflectobakt®



Find us on:







Over the years, the industry has used black as a standard color for their boards to conceal the catch. However, as pest management has evolved into a more sophisticated science its needs have changed and so have the board matrix types. The variety glue boards we offer are:

- Classic premium glue boards (BOACHA850/135-000047) for some of the largest catch surface areas in the market, enabling a greater catch per board. This board is interchangeable with most of the Mantis ILT systems
- · Thicker than most boards on the market and with a coating to reduce warping and mositure absorption
- · Lasts for 60 days in PestWest systems
- · The glue boards are positioned so that they sit closer to the UV lamp than other models, providing a more rapid catch
- · Universal glue boards / (Black: BOAMAN853/135-000070, White: BOAMANWT/135-000064) are effective for 60 days (unless filled with insects) and are available in black or white and fit a wide variety of insect light traps in the market. See cross reference chart for complete reference in next page
- · Gray grid matrix glue boards / (BOAMAN867/135-000063) for easy insect counting and monitoring. Boards can be retained to provide an accurate record for HACCP audits

- · Premium plastic glue boards (BOAMAN872/135-000048) inhibit mold and are ideal for high moisture areas
- · 4x4 glue boards (BOA4X4881/130-000053) are industrial sized, 926sq. inch (23 3/4"19 1/2", 2-sided) glue boards for the Mantis® 4x4 and 4x4EX for extra protection
- Chameleon EXG glue board (135-000050) unique to this system
- Translucent glue board for the Sunburst lets light shine through the Sunburst systems. See images on the right. These also fit in the Naturale

Thin designs and longer lasting glue boards are made possible thanks to the Reflectobakt® sleeve available in T5 (5/8"), T8 (1") and T12 ($1\frac{1}{2}$ "). This sleeve shields the full-sized glue board from the drying effect of the UV light, thus making the systems more effective for longer periods of time.

NOTE: Don't throw the Reflectobakt sleeves away! Remove them from the spent lamps and place them on the fresh replacement lamps for optimal performance.





Shown with white/ black glue board



Shown with translucent glue board



Classic premium glue board



Gray matrix glue board



Premium plastic glue board



4X4 glue board



Sunburst white & black glue board

Helpful Hint

To get versatility out of our traps, use a Demi-Diamond pheromone glue board on top of the Mantis® glue boards. You don't lose any capture surface area AND you add value and have a multifunctional trap!



Replacement Universal Glue Boards

Twitter Facebook & Google+ Find us on:

Upgraded with more glue coverage



The PestWest® Universal Glue Boards are available in both discreet black and "high definition" white and have been used in a wide variety of applications even OUTSIDE of the light trap.

Used around homes and restaurants as an insect monitor, around plumbing monitoring insect access spots

(scorpions, brown recluse etc) captures small invasive vertebrates, among many other uses. Certainly the preferred board for all non-chemical applications and is your watch-dog when you're not on the scene.

Directions for use are available in English and Spanish.



The PestWest Universal glue boards fits these models:





1ANUFA0	CTURER	MODE

AROD 505, 1010, Bugster 30, Cenith PVC/ Aluminum Atlantic Paste & Glue 910 Mini Dynamite Atlantic Paste & Glue 911 Dynamite **B&G** Equipment Matrix® Genus, Eclipse, Orbit, Spectra, FLI Brandenburg Gardner MX-360 Portable Gardner GT-200 Gardner GT-180 GT-150 Gardner Gardner WS-75 (wall sconce) WS-85 (wall sconce) Gardner Sticky Fox-225 Gilbert Gilbert Sticky Tiger- 219GT Gilbert Sticky Bear- 747GT Sticky Lizard Gilbert Gilbert Leonardo Gilbert 1999 GT- Flying Venus Insect-o-cutor **GBH362**

GB18

GBP182

GBP482

GBWS252 - Guardian®

MANUFACTURER

MODEL JT Eaton Synergetic Paraclipse Insect Inn (original)* Insect Inn Ultra I & II (#72651-3)* Paraclipse Mantis® 1x2 - white & stainless steel PestWest Mantis® Uplight & Uplight MAX36 PestWest PestWest Mantis® 1x2 - MAX 50 PestWest Mantis® 2x2 - white PestWest Mantis® Vega & Sirius PestWest On Top Pro es Pelsis Luralite- Professional 30 Pelsis Luralite-18 Satelite-30 Pelsis Pelsis The Edge Intellilight Pro & Standard** Pelsis Vector® Classic BASE BASE Vector® Nova / Cobra BASF Vector® Super Nova® BASF BASF Plasma & Plasma One **BASF** Eclipse Univar Insectos

Insectos II

Manufacturers updates are subject to change without notice. Call for updated charts.

* does not scroll

** will require 1" strip of contact paper to remain on the ends to prevent sticking to guides

For a more comprehensive cross reference list of glue boards and traps contact us directly.



VIDEO ONLINE

Scan the OR code to view

And more...And more...

Insect-o-cutor

Insect-o-cutor

Insect-o-cutor

Insect-o-cutor





Univar











PESTWEST BELIEVES THAT WE OWE IT TO OUR CUSTOMERS TO SUPPLY THEM WITH THE BEST.

BL 350s, Philips Master and green color lamps are also available. We use the highest quality shatter resistant material for your protection and maximum insect attraction.

Always ensure that you lamps are at room temperture at start-up. Fluorescent lamps left in cold environments take longer to start

36 WATT PESTWEST OUANTUM PLASMA LAMP



36 WATT QUANTUM PLASMA SHATTER RESISTANT LAMP

TUB09W535/130-000249	EACH
TUB13W458/130-000163	EACH
TUB14W471/130-000177	25/CS
TUB15W407/130-000186	25/CS
TUB15W467/130-000185	25/CS
TUB15W429/130-000205	25/CS
TUB15W489 /130-00206	25/CS
TUB15W430/130-000160	25/CS
TUB15W490/130-000171	25/CS
TUB15W570/130-000172	25/CS
TUB15W628/130-000241	25/CS
TUB15M430/130-000203	25/CS
TUB15M490/130-000204	25/CS
TUB18W521/130-000243	EACH
TLIB18W522/130-000247	EACH

PRODUCT CODE

TUB18W522/130-000247 EACH 130-000174 TUB20W350 /130-000144 25/CS TUB20W452/130-000158 25/CS TUB20W512 /130-000190 25/CS 130-000191 EACH TUB22W588/130-000250 30/CS TUB22W648/130-000251 30/CS

DESCRIPTION OW EL-W-F OFO 0 -:-

22W x 15" T12 BL350

22W x 15" T12 BL350 SH


9W Fly Web CFS, 2 pin
13W CFS Quantum fits Sundew 4 pin. Lead-free
14W x 21" T5 Quantum SH. Lead-free
15W x 12" T5 Quantum. Lead-free
15W x 12" T5 Quantum SH. Lead-free
15W x 16" T8 Quantum. Lead-free
15W x 16" T8 Quantum SH. Lead-free
15W x 18" T8 Quantum. Lead-free
15W x 18" T8 Quantum SH. Lead-free
15W x 18" T8 BL350 not pb free
15W x 18" T8 BL350 (BlueStar) SH
15W x 18" T8 Philips Master
15W x 18" T8 Philips Master SH
18W CFL 4-pin
18W CFL SH 4-pin
18W x 24" T8 Quantum SH (EXG use). Lead-free
20W x 24" T12 BL350
20W x 24" T12 Quantum. Lead-free
20W x 24" T12 Quantum SH. Lead-free
22w Circline BL368 Lead-free

TUB25W430/130-000155	25/CS
TUB25W490/130-000173	25/CS
TUB25W523/130-000152	50/CS
TUB26W521/130-000224	EACH
TUB26W522/130-000225	EACH
TUB30W630/130-000229	25/CS
TUB36W536/130-000180	50/CS
TUB36W537/130-000181	50/CS
130-000234	EACH
130-000235	EACH
130-000278	25/CS
130-000279	25/CS
TUB40W590/130-000254	25/CS
TUB40W650/130-000256	25/CS
TUB40W452/130-000145	25/CS
TUB40W512/130-000146	25/CS
130-000269	25/CS
130-000236	25/CS
TUB40W596/130-000255	25/CS
TUB40W656/130-000237	25/CS
130-000268	25/CS

130-000267

25/CS

DESCRIPTION
25W x 18" T8 Quantum Lead-Free
25W x 18" T8 Quantum SH Lead-Free
25W Tightbend 4-pin
26W CFS BL350 2-pin
26W CFS BL350 SH 2-pin
30W x 18" T8 BL368 SH Lead-Free
36W Plasma Quantum Each 4-pin
36W Plasma Quantum Each SH 4-pin
40W tight bend
40W tight bend SH
36W x 48" T8 BL368 retro fit TUB40W596 & 130-000236 Lead-Free
36W x 48" T8 BL368 SH retro fit TUB40W656 & 130-000269 Lead-Free
40W x 18" T12 BL350 (32w energy saver)
40W x 18" T12 BL350 SH (32w energy saver)
40W x 24" T12 Quantum Lead-Free
40W x 24" T12 Quantum SH Lead-Free
40W x 48" T12 BL368 SH Lead-Free
40W x 48" T12 BL368 Lead-Free
40W x 48" T12 BL350
40W x 48" T12 BL350 SH
36W x 24" T8 Quantum SH Lead-Free





PestWest offers 18W and 36W T8 lamps to retro fit 20W and 40W T12 lamps for more efficiency and energy saving.

PestWest is the only insect light trap manufacturer to offer the MAD Hatter pollution prevention fluorescent lamp recycling program. See page 31 - 32 for more information..

CFS = Compact Fluorescent Short

CFL = Compact Fluorescent Long

Don't see your lamp listed here? CALL US... 866.476.7378

FEP FLUOROPOLYMER COATING

36W x 24" T8 Quantum Lead-Free



ETHYLENE METHACRYLIC ACID



POLYETHYLENE





PestWest lamp & glue board conversion reference chart





				PestWest Replacement lamp Product Code		PestWest Replacemer Glue boards
Manufacturer	Model	Lamp	# Of Lamps	Standard	Shatter Resistant	Universal Glue Board
				Each	Each	Pack
Atlantic Paste & Glue	910 Mini Dynamite (1-15w T5)	15w x 12" T5	1	TUB15W407	TUB15W467	BOAMANWT/BOAMAN853
Atlantic Paste & Glue	911 Dynamite (2012 model)	25w x 18"	2	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
Atlantic Paste	911 Dynamite (2013 model)	36 watt plasma	1	TUB36W536	TUB36W537	BOAMANWT/BOAMAN853
& Glue Atlantic Paste	Silentrap	13 Watt Lynx	1	TUB13W458		n/a
& Glue					THEATTH	
AROD	505,1010, Bugster 30, Cenith PVC	15w x 18" T8	1	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
AROD	606	15w x 18" T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
AROD	Thunder	15w x 18" T8	3	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
AROD	202	15w x 18" T8	4	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
AROD	Hunter	15w x 12" T5	6	TUB15W430	TUB15W490	
B&G Equipment	Onyx	25w x 18" T8	2	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
B&G Equipment	Vortex	25w x 18" T8	1	TUB25W430	TUB25W490	n/a
B&G Equipment	Flying V	15w x 18" T8	3	TUB15W430	TUB15W490	n/a
B&G Equipment	Matrix	25w x 18" T8	4	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
BASF	Vector Discreet	25w Lynx 2 pin	1	TUB25W521	TUB26W522	BOAMANWT/BOAMAN853
			1&2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Brandenburg	Genus brands, Orbit, Innova, Fli	15 watt x 18" T8				
Brandenburg	Jet	15w x 18" T8	3	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Brandenburg	Viper	15w x 18" T8	3	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Brandenburg	Spectra/Spectra Compact/Portatrap	36 watt plasma	2 & 1	TUB36W536	TUB36W537	BOAMANWT/BOAMAN853
Flowtron	FC-4400,4410	40W tight bend (BF-150)	1	130-000234	130-000235	BOAMANWT/BOAMAN853
Flowtron	BK80D, FC-4700,4800,4810,7600	40w tight bend (BF-150)	2	130-000234	130-000235	electrocutor
Gardner	MX- 360 Portable	32 watt x 18" T12	4	TUB40W590	TUB40W650	135-000212
Gardner	Fly Web	9 watt 2 pin CFS	1	TUB09W535	call	n/a
Gardner	GT-225	25w x 18" T8	2	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
Gardner	GT-220	20w x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853
Gardner	GT-215	15w x 18" T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Gardner	GT-200	32 watt x 18" T12	2	TUB40W590	TUB40W650	BOAMANWT/BOAMAN853
Gardner	GT-180	15w x 18" T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Gardner	GT-150	25w x 18" T8	1	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
Gardner	GT-480/OR324	36W X 48" T8	2	130-000279	130-000279	3x BOAMANWT/BOAMAN8
Gardner	WS-75 (wall sconce)	15w x 18" T8	1	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Gardner	WS-85 (wall sconce)	15w x 18" T8	1	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Gardner	WS-95	25w x 18" T8	2	TUB25W430	TUB25W490	BOAMANWT/BOAMAN853
Gardner	AG-970(2-40w)	32 watt x 18" T12	2	TUB40W590	TUB40W650	electrocutor
	RG1002		2			
Gardner		40 watt x 48' T12		TUB40W596	TUB40W656	electrocutor
Gardner	AG- 969 Wall Mount	32 watt x 18" T12	3	TUB40W590	TUB40W650	electrocutor
Gardner	AG- 241 Wall or Ceiling Mount	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gardner	AG-961	32 watt x 18" T12	3	TUB40W590	TUB40W650	electrocutor
Gardner	AG-963/970	32 watt x 18" T12	1	TUB40W590	TUB40W650	electrocutor
Gardner	AG-661(2-40W)	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Flying Lion-711	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	The Don- 601T	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Executive- 601E	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Junior- 601TJ	20 watt x 24"T12	2	TUB20W452	TUB20W512	electrocutor
Gilbert	Guerrilla- 220	20 watt x 24"T12	2	TUB20W452	TUB20W512	electrocutor
Gilbert	Hall Stalker-Ceiling- 607	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Night Hawk - 705	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Night Eagle- Ceiling-605	40 watt x 48' T12	2	TUB40W596	TUB40W656	electrocutor
Gilbert	Sticky Fox-225	20 watt x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853
Gilbert	Sticky Tiger- 219GT	20 watt x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853
Gilbert	Sticky Bear- 747GT	40 watt x 48' T12	2	TUB40W596	TUB40W656	BOAMANWT/ BOAMAN853(NEEDS 2)
Gilbert	Sticky Lizard	20 watt x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853
		20 watt x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853
Gilbert	l Leonardo					
Gilbert Gilbert	Leonardo 2000 (02, 04) GT - Flying Venus	20 watt x 24" T12	2	TUB20W452	TUB20W512	BOAMANWT/BOAMAN853

				PestWest Replacement lamp Product Code		PestWest Replacement Glue boards
Manufacturer	Model	Lamp	# Of Lamps	Standard	Shatter Resistant	Universal Glue Boards
				Each	Each	Pack
Insect-o-cutor	GBH362	30W x 36"T8	2	call	call	BOAMANWT/ BOAMAN853(NEEDS 2)
Insect-o-cutor	GB18	15w x 18" T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Insect-o-cutor	GBP182	15w x 18"T8	2	TUB15W430	TUB15W490	BOAMANWT/ BOAMAN853(NEEDS 2)
Insect-o-cutor	GBWS252 - Guardian	25w x 18" T8	2	TUB25W430	TUB25W490	BOAMANWT/ BOAMAN853 (NEEDS 2)
Insect-o-cutor	GBP482	40watt x 48"T12	2	TUB40W596	TUB40W656	BOAMANWT/ BOAMAN853(NEEDS 2)
JT Eaton	Synergetic	15w x 18" T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Paraclipse	Insect Inn (15") (original)	22watt x 15"T12	1&2	TUB22W588	TUB22W648	BOAMANWT/BOAMAN853(- DOES NOT SCROLL)
Paraclipse	Insect Inn Ultra I & II (16" #72651-3)	15w x 16"T8	2	TUB15W429	TUB15W489	BOAMANWT/BOAMAN853(- DOES NOT SCROLL)
PestWest	MAN1X2016 (Mantis 1x2)	15w x 18"T8	2	TUB15W430	TUB15W490	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	Mantis 1x2 Discretions	15w x 18"T8	2	TUB15W430	TUB15W490	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	MAN12M056 (Mantis 1x2 Max 50)	25w x 18"T8	2	TUB25W430	TUB15W490	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	MAN2X2016 (Mantis 2x2)	15w x 18"T8	2	TUB15W430	TUB15W490	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	MANUPM055 (Mantis Uplight 36)	36 watt plasma	1	TUB36W525	TUB36W526	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	MANUP3035 (Mantis Uplight)	15w x 18"T8	1	TUB15W430	TUB15W490	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	On-Top-Pro ES (Ceiling insert)	14w x 21"T5	2	n/a	TUB14W471	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	Sirius	14w x 21"T5	2	n/a	TUB14W471	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	Mantis Vega	14w x 21"T5	2	n/a	TUB14W471	BOCHA850/BOAMAN853/ BOAMAN867/BOAMAN872/ BOAMANWT
PestWest	Sunburst / Naturale	18w CFL Lamp	1	TUB18W521	TUB18W522	BOASMI855/BOASMI865
PestWest	TITAN 300	15w x 18" T8	2	TUB25W430	TUB25W490	electrocutor
PestWest	TITAN ALPHA	15w x 12"T5	2	TUB15W407	TUB15W467	electrocutor
PestWest	TITAN 200IP	18w CFL Lamp	1	TUB18W521	TUB18W522	electrocutor
PestWest	NEMESIS CORNER MOUNT	40w x 24"T12	2	TUB40W452	TUB40W512	electrocutor
PestWest	NEMESIS Quattro	14w x 21"T5	4	n/a	TUB14W471	electrocutor
PestWest	MANTIS 4X4 / 4X4 EX	40w x 24" T12	4	TUB40W452	TUB40W512	BOA4X4881 (Gray)
PestWest	Chameleon EXG	18w x 24"T12	2	n/a	130-000174	135-000050(Gray)
Pelsis	Luralite- Professional 30	15w x 18"T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Pelsis	Luralite- 18 (various colors)	18w 4 pin	1	TUB18W521	TUB18W522	BOAMANWT/BOAMAN853
Pelsis	Satelite-30	15w x 18"T8	2	TUB15W430	TUB15W490	BOAMANWT/BOAMAN853
Pelsis	Exocutor- EX30	15w x 18" T8	2	TUB15W430	TUB15W490	electrocutor
Pelsis	Exocutor- EX40	20 watt x 24" T12	2	TUB20W452	TUB20W512	electrocutor
Pelsis	Excalibur - 30w	15w x 18"T8	2	TUB15W430	TUB15W490	electrocutor
	Aura	22w Circline	1	130-000191	n/a	n/a
Pelsis	Excalibur-HL080(2-40w)	40 watt x 24" T12	2	TUB40W452	TUB40W512	electrocutor
			4	TUB40W452	TUB40W512	electrocutor
Pelsis	Excalibur-HL0160(4-40w)	40 watt x 24" T12				
Pelsis Pelsis	Excalibur-HL0160(4-40w) Insectaflash-IF50(2-25W)	40 watt x 24"T12 25w - 9" tight bend 4 pin	2	TUB25W523	n/a	electrocutor
Pelsis Pelsis Pelsis			2	TUB25W523 TUB25W523	n/a n/a	electrocutor electrocutor
Pelsis Pelsis Pelsis Pelsis	Insectaflash-IF50(2-25W)	25w - 9" tight bend 4 pin				
Pelsis Pelsis Pelsis Pelsis Pelsis	Insectaflash-IF50(2-25W) Insectaflash-IF75(3-25W)	25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin	3	TUB25W523	n/a	electrocutor
Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis	Insectaflash-IF50(2-25W) Insectaflash-IF75(3-25W) Insectaflash-IF100(4-25w) Reflector (U-shape-25 w, 4 pin)	25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin	3	TUB25W523 TUB25W523 TUB25W523	n/a n/a n/a	electrocutor electrocutor n/a
Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis Pelsis	Insectaflash-IF50(2-25W) Insectaflash-IF75(3-25W) Insectaflash-IF100(4-25w) Reflector (U-shape-25 w, 4 pin) The Edge	25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin 30 watt x 18" T8	3 4 1	TUB25W523 TUB25W523 TUB25W523 n/a	n/a n/a n/a TUB30W630	electrocutor electrocutor n/a BOAMANWT/BOAMAN853
Pelsis Pelsis Pelsis Pelsis Pelsis	Insectaflash-IF50(2-25W) Insectaflash-IF75(3-25W) Insectaflash-IF100(4-25w) Reflector (U-shape-25 w, 4 pin)	25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin 25w - 9" tight bend 4 pin	3 4 1	TUB25W523 TUB25W523 TUB25W523	n/a n/a n/a	electrocutor electrocutor n/a

- Features and Benefits of the PestWest Quantum lamps

 · 100% Lead free lamps for a safer environment

 · Comes in standard and shatterproof for safe use in the food industry
- · The shatterproof material that is used is guaranteed to not flake, melt, discolor, or drip to keep the consistently high quality of the lamps intact.



Mad Hatter® Lamp Recycling Box Program Find us on: Twitter Facebook Google







As a nation we know that Mercury is a toxic metal that is hazardous to both the environment and public health.

There are well over 500,000,000 spent lamps thrown into the dumpster every year. Not only is this illegal but it also causes more mercury contamination of the environment than any other consumer product.

The Mad Hatter® Lamp recycling service is a cost-effective and responsible pollution prevention service that is a simple to use box program, specifically designed to make recycling of your spent lamps easy. The program ensures that smaller quantities of spent fluorescent lamps are sent for recycling in accordance with federal, state and local regulations.

- One price includes everything you need saving you hundreds of dollars on your recycling costs
- Convenience for smaller quantities of lamps this program will save you money
- · Ideal for facilities with storage limitations no need to wait for large quantities of lamps to build up
- Allows you to purchase recycling services based on your individual needs

A single 4' fluorescent lamp has the potential to contaminate a 20-acre lake, with its mercury content beyond a safe level for drinking.

With one call to PestWest, the Mad Hatter® box, designed specially for smaller quantities of lamps, will be shipped to you to fill with spent lamps. This box comes complete with a return shipping label and complete instructions. Once the lamps are recycled a certificate of recycling will be mailed to you.

PRODUCT CODE	PRODUCT DESCRIPTION	NET UNIT	SHIPPING WEIGHT
PWE002 / 355-000002	(Medium box) 8.5" x 8.5" x 48" box holds 60-75 approx (based on T8/24")	Each	3.5 lb
PWE003 / 355-000003	(Large Box) 12" x 12" x 48" Large box holds 146 approx (based on T8/24")	Each	4 lb
PWE014 / 355-000005	(For 8' lamps) Holds 15 T12 8' lamps	Each	4.5 lb

Mercury is an essential component of fluorescent lights including 'Green Tip' and Compact Fluorescent (CFL) lamps - therefore all lamps must be managed correctly when they are removed from service.





SPENT FLUORESCENT LAMP **RECYCLING IS AS EASY AS 1-2-3**













Put beneficial bacteria to work cleaning a wide variety of hard surfaces including drains and many more surfaces.

- Synergized bacterial blend: effectively remove organic build-ups, such as greases, fats, oils, carbohydrates & proteins.
- Reduces foul odors, improves drain flow and is gentle on all drain lines.
- Thickened formulation: specially designed for optimum surface cling for active drains.
- Thick formulation sticks to the surface for highly effective clean.
- Fresh citrus scent.
- Available in 32oz. quart, 128 oz gallon, 6 gallon pail and 55 gallon drum.
- · Dilutable (with water), see directions for use.

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive



Made in the U.S.A.

PRODUCT CODE	NET UNIT	SHIPPING WEIGHT
BIOGEL900/620-000002	12/Case	29 lb
BIOGEL902/620-000004	1 Gal - 4/CS	37 lb
BIOGEL901/620-000003	Each	53 lb
BIOGEL55/620-000001	Each	480 lb
	BIOGEL900/620-000002 BIOGEL902/620-000004 BIOGEL901/620-000003	BIOGEL900/620-000002 12/Case BIOGEL902/620-000004 1 Gal - 4/CS BIOGEL901/620-000003 Each







Automated Inline Injection System

- Field-proven drain and odor control dispensing system
- Ideal for use with Bio-Gel for drain lines and grease traps
- · Pail mount included, easy to fit on 6 gallon pail
- Work with 110v AC or battery power
- Timer and dose control
- · Available in wall and pail mount version



PRODUCT	PRODUCT CODE	NET UNIT	SHIPPING WEIGHT
Bio-Gel Pro Dose - wall mount	BDBDC/390-000140	Each	6 lb
Bio-Gel Pro Dose - pail mount	BGEDC/390-000141	Each	8 lb





Foamable formulation for active drains

- High expansion foam: effectively remove organic build-ups, such as greases, fats, oils, carbohydrates & proteins.
- Reduces foul odors, improves drain flow and is gentle on all drain lines.
- · Fresh citrus scent.
- Ready to use with the **foaming trigger included for quart package**.
- · Available in 32oz. quart & 128 oz gallon.

Bio-Gel® Pro Foam

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive



Bio-Gel PRO FOAM Gallon 620-000023

PRODUCT	PRODUCT CODE	NET UNIT	SHIPPING WEIGHT
Bio-Gel PRO FOAM Quart	620-000022	12/Case	29 lb

1 Gal - 4/CS

37 lb





Using beneficial bacteria for superior cleaning and to eliminate foul odors

- Safe for use on all types of trash cans, bins, dumpsters and surrounding areas, high rise trash chutes, garbage trucks, compactors and more.
- Essential oil/bacterial blend that is designed specifically for use in harsh environments.
- · No scrubbing or rinsing required.
- · Fresh mint scent.
- · For indoor and outdoor use.
- Available in 1 gallon (128 oz) jugs, 5 gallon pails, 55 gallon drums.

DUMPSTERGUARD

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive



Made in the U.S.A.

PRODUCT	PRODUCT CODE	NET UNIT	SHIPPING WEIGHT	
Dumpster guard gallon	DUMPSTERGALEA/620-000009	1 Gal - 4/CS	36 lb	
Dumpster guard 5 gal pail	DUMPSTER5/620-000007	Each	45 lb	
Dumpster guard 55 gal drum	DUMPSTER55/620-000008	Each	490 lb	





Advanced floor cleaner and mop water additive

- Advanced surfactants blended with superior microbial technology makes this product the preferred product for restaurants, hospitality, institutional, and industrial applications.
- Simply add it to mop water bucket and let it go to work!
- Keeps mop heads fresher for longer.
- Cleans organic debris build-up that causes foul odors. Quick dry and non-slippery formula.
- Available in 1 gallon (128 oz) jugs, 5 gallon pails, 55 gallon drums.

Bio-Gel[®] Pro Kleen

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive



Made in the U.S.A.

PRODUCT	PRODUCT CODE	NET UNIT	SHIPPING WEIGHT
Bio-Gel PRO KLEEN gallon	BIOGEL904/620-000005	1 Gal - 4/CS	37
Bio-Gel PRO KLEEN 5 gal pail	BIOGEL905/620-000006	Each	45 lb
Bio-Gel PRO KLEEN 55 gal drum	BIOGEL906	Each	480 lb





An easy-to-use powder that reduces organic waste

- Developed to reduce organic waste in barns, coups, stalls, manure piles/heaps, houses, kennels, cages, litter, bedding, drain sewers, municipalities, towns and cities, waste water treatment plants (land and cruise ship based) and reduces foul odors from lagoons and retention ponds.
- Bacillus and Pseudomonas bacterial blends to digest inanimate mass.
- These bacteria have the exceptional targeted enzyme production of lipase, protease, amylase, cellase, urease, pectinase, and chitinase, to speed the degradation and digestion of fats, carbohydrates, proteins, cellulose and starches.
- Formulated on a food-ready base accelerant to jump start the binary fission process.
- Available in 15 lb Bulk (Blue lid) & 30-8oz water soluble throw packs (Green Lid).

Bio-Gel® MICROBLEND G

Biodegradable Non-toxic Non-pathogenic Non-caustic Non-corrosive



Made in the U.S.A.

PRODUCT	PRODUCT CODE	NET UNIT	SHIPPING WEIGHT

 MICROBLEND G
 620-000019 (30-8oz BACK-PAK's - Green lid)
 Each
 15 lb

 MICROBLEND G
 620-000018 (15 lb Bulk - Blue lid)
 Each
 15 lb





An odor neutralizer with an environmentally friendly formula

- NOT a masking agent. Actually BINDS to the odor molecule.
- Neutralize ammonia, smoke, fish, animal, rodent, urine, spoiled foods, animal body, skunk, incontinence, medical condition, cooking odors and many pungent others
- · Safe for humans and pets
- · May be applied directly on animals
- Environmental friendly
- Super concentrated formula
- Suitable for ULV application
- An ANYWAY spray trigger is included with 32oz quarts (sprays at all angles)
- Available in 32oz quarts and 128oz gallon with tea tree scented and neutral unscented version

Scent Savor™

Area of use: Hotels/motels, day care facilities, nursing homes, hospitals restrooms, homes, apartments, theaters, livestock pens, rendering plants, forensics, vehicles, landfills, food processing, waste water treatment, basements, crawlspaces, attics, kennels and shelters, solid waste transfers stations, septic systems, portable toilets, cruise ships, non-food areas of food processing plants, garbage areas and many more.



Made in the U.S.A.

PRODUCT

SCENT SAVOR Quart (Tea tree scent)
SCENT SAVOR Quart (Neutral unscented)
SCENT SAVOR Gallon (Tea tree scent)
SCENT SAVOR Gallon (Neutral unscented)

PRODUCT CODE	NET UNIT	SHIPPIN WEIGHT
BIOSAVQT/610-000125	12/Case	25 lb
610-000136	12/Case	25 lb
BIOSAVGAL/610-000124	1 Gal - 4/CS	34 lb
610-000137	1 Gal - 4/CS	34 lb





Designed to eliminate stains including urine, feces, blood & odors from cats, dogs and most other animals.

bacteria-based formula produces enzymes when it comes in contact with bio-based "messes" to target urine and feces and freshens with a light, pleasing fresh scent.

- · Piddle Pal microbes bind to odor molecules. This is not a masking agent.
- · Works on pet bedding, carpets, automobiles, public toilets, assisted living facilities and many, many more.

Piddle Pal™

- · Great as a value add-on for every flea and tick treatment
- · Targeted urine, feces, odor destroyer.
- Tough on strong dog urine and the yellow, sticky residue.
- Freshens with a light, fresh pleasing scent.
- · Safe to use on carpets, hard floors, furniture, fabrics and
- Flip top and ready to use container



Made in the U.S.A.

PRODUCT

PRODUCT CODE

NET UNIT SHIPPING WEIGHT

Piddle Pal quart PIDPQT/620-000011

12/CS 28 lb





The CSI kit uses a specialty blue light in conjunction with orange goggles to contrast proteins from bed bugs, blood, feces, caste skins and eggs.

- Cutting your inspection time by hours, the blue-light is used to visualize latent signs and other physical infestation evidence, wear orange goggles which are included in the kit.
- The blue LED flashlight: made of Aerospace-grade aluminum tempered Pyrex Lens; w/ Mil-Spec Type III hard-anodized; Shock tested with a drop test of ten feet.
- Rechargeable battery: an estimated life of 300 hours without a significant decrease in power output
- Bed bug life cycle disc: actual eggs, nymphs and both female and male adults can be viewed at a glance providing an illustration of bed bug life cycle.

Contrasting Specimen Inspection (CSI) Kit Professional Bed bug Detection

Kit includes:

One (1) blue high intensity recharable flashlight One (1) pair of orange filter premium goggles One (1) pair of needle nose forceps Three (3) specimen 4x magnifyers Live hinge carrying case One (1) Bed Bug specimen life cycle ID disc Replacement components are readily available.

PRODUCT	PRODUCT CODE	Qty/Case	SHIPPING WEIGHT
CSI Kit	CSIK/110-000333	Each	4 lb
Replacement flash light and charger	CSILIGHT/820-000051	Each	2 lb
Replacement goggles	CSIGOGGLE/823-000100	Each	1 lb
Replacement bed bug ID	340-000081	Each	1 lb
Replacement battery 2200mhA	CSIBATTERY/820-000047	Each	1 lb

Need Bed Bug Manual? Click to: www.pestwest.com/bedbugs





UV lamps stop producing UV light long before their blue visible light declines

The PestWest UV-A Meter is easy-to-use, enabling you to monitor the condition and quality of UV lamps in any electronic flying insect light system so that you get the best results.

- The pocket size UV-A Meter is the perfect tool, Measuring ambient light first, then accurately measuring the UVA direct from your system.
- Great for new accounts that have existing systems (who knows when the lamps were changed last?) and monitoring systems throughout the year
- Standard UV lamps need to be changed annually.
 However, this may be more frequent if exposed to sensitive areas or natural sunlight.

PRODUCT PROD

UV-A Meter

PRODUCT CODE

NET UNIT SHIPPING WEIGHT

UVAMETMK11/325-000038

Each 1 lb

PestWest
www.pestwest.com



Cost effective walk-by monitoring systems for Fruit fly, Indian Meal Moth or Webbing Clothes Moth.

- Cost effective: reusable station, no electricity consumed.
- Inspection at a glance: placed on wall mounted surface or underneath bar tops.
- 3 combo packs are ready to use (Fruit fly, IMM pheromones and Webbing CM pheromones)
- Plodia and Esphestia pheromone glue boards: slow release technology lasts between service intervals
- technology lasts between service intervals.

 30 ml bait lure reservoir: at the bottom of station to add
- target pest lure.
 Add pheromone glue boards to any PestWest ILT glue board to increase attraction for target pest.
- Glue board colorations: provide contrasting, easy insect ID (moth glue boards feature a square grid pattern to assist trends analyses)
- Ideal for food processing plants and warehouses, hospitals, clinics, supermarkets, pet stores, restaurants, delis, convenience stores, schools, residential homes, and many more.

PRODUCT	PRODUCT CODE	DD stations/GB lures	SHIPPING WEIGHT
AF Demi-Diamond® Fruit fly Combo Pack	DD000/ 110-000237	10/50	1lb
AF Demi-Diamond® IMM Combo pack	110-000575	10/20	1lb
AF Demi-Diamond® WCM Combo pack	110-000574	10/20	1lb
AF Demi-Diamond® Fruit Fly glue boards	DD100	2 x 50 packs / 100 per box	1lb
Stored Product Pest Lure (Indian Meal Moth)	DD200	10 x 10 packs / 100 per box	1lb
Tineola/Webbing Clothes Moth lure	110-000167	10 x 10 packs / 100 per box	1lb
AF Demi-Diamond® bulk/stations only (CLEAR)	110-000168	50 per box	1lb
AF Demi-Diamond® bulk/stations only (BLUE)	110-000151	50 per box	1lb
Cluster fly lure	110-000606	10/pack	1 lb





Deploy Window Wonder traps to support integrated pest management (IPM) programs. Place upright for flies, horizontally for monitoring crawlers.

Used in and around restaurants, homes, and other environments, the Window Wonder serves as an exceptional monitoring device. Persistently monitor for pestiferous flies, moths, wasps, ants, cockroaches, beetles, weevils, firebrats, sliverfish, spiders, centipedes, millipedes, pillbugs, sowbugs, booklice, earwigs, crickets, springtails, stink bugs, and many others!

PRODUCT PRODUCT CODE NET UNIT SHIPPING WEIGHT

 Window Wonder
 110-000590
 Each - 45/CS
 27 lb

 Replacement glue
 110-000591
 12/PK-50/CS
 2 lb

 boards
 (black)

Need Pheromone?

Indian Meal Moth (ephestia/plodia), Webbing Clothes moth (Tineola) are available, see page 45 for more details. Cluster Fly lures are also available in a "coaster" style media.







Cluster Fly Lure

A pure synomone attractant absorbed on a paper coaster sealed within a peel-able pouch provides easy placement within most passive or pitfall monitoring traps. With Cluster Fly Lure convert a passive trap to a very active Window Wonder trap!

PRODUCT CODE NET UNIT SHIPPING WEIGHT

Cluster fly lure 110-000606 Each - 10 x discs 2

Asian Lady Bug Lure

A powerful calling-behavior pheromone attractant absorbed on a paper coaster sealed within a peel-able pouch provides easy placement within most passive or pitfall monitoring traps. With Asian Lady Beetle Lure convert a passive trap to a very active Window Wonder trap!

PRODUCT PRODUCT CODE NET UNIT SHIPPING WEIGHT

Asian Lady Bug 110-000618 Each - 10 x discs 2 lb Lure



Parts & Accessories



PRODUCT	PRODUCT CODE	BRIEF DESCRIPTION	NET UNIT	SHIPPING WEIGHT
Discretion cover for the Mantis® 1x2 - Stainless steel	MEF30SST1X2C0VWELL	Conceals catch on 1x2 Stainless Steel	Each	2lb
Discretion cover for the Mantis® 1x2 - White	MEF301X2COVWH	Conceals catch on 1x2 White	Each	2lb
Discretion cover for the Mantis® 1x2 - Black	802-000503	Conceals catch on 1x2 Max 50	Each	2lb
Discretion cover for the Mantis® 1x2 - Gray	MEF301X2MCOVGRAY	Conceals catch on 1x2 Max 50	Each	2lb
Chrome stand	EF30STAND	Portable chrome stand	Each	2lb
Gray bottom tray for the Mantis Max 50	A1X2TRAGRY	Complete w/spring clip	Each	1lb
Stainless steel tray for the Mantis 1x2	A1X2TRASS	Complete w/spring clip	Each	1lb
White bottom tray for the Mantis 1x2	A1X2TRAWH	Complete w/spring clip	Each	1lb
White bottom tray for the Mantis 2x2	A2X2TRAWH	Complete w/spring clip	Each	1.5lb
Mantis® front guard - chrome (1x2 & MAX50)	M60GUAMSCWELL	Chrome front guard for Mantis	Each	1lb
Mantis® front guard - stainless steel (1x2 SS)	802-000263	S.S. (inhibits rust) front guard for Mantis	Each	1lb
Mantis® Lamp holder SET	SOCKETSET	One set per lamp/tube	1 set = 3 pcs	1lb
Series starter S22	ESTSER151P	starters series 22 watt for Mantis systems	Each	1lb
Starter for the Gardner 40 watt (32 watt energy saver) lamp	STARTER32W	Gardner GT-200 starter	Each	1lb
Spring clip for all Mantis® bottom trays	FCT60	One spring clip per tray	Each	1lb
Stainless Steel Bubble Cover for the Sundew	MEF13SSTCOV	Replacement front cover	Each	1lb
White Polycarbonate Replacement cover Sundew	PEF13COVPCX	Replacement front cover	Each	1lb
T12 (1 1/2') x 24" Aluminum lamp reflecktobakt®	MREFT12	Prolongs glue board life	Each	1.5oz
T8 (1") x 18" Aluminum lamp reflecktobakt®	MREFT8	Prolongs glue board life	Each	1lb
T5 (5/8") x 21 Aluminum lamp reflecktobakt®	802-000354	Prolongs glue board life	Each	1lb
White mounting bracket - Mantis® 1x2	MEF30PCZBRK	Mounts the 1x2 to the wall	Each	1lb
CSI Kit Bed bug ID	340-000081	Bed bug life cycle specimen Disc	Each	1lb
CSI Kit Flash light and charger	CSILIGHT	CSI Kit replacement	Each	2lb
CSI Kit Goggles	CSIGOGGLE	CSI Kit replacement	Each	1lb
CSI Kit Battery (2200mhA)	CSIBATTERY	CSI Kit replacement	Each	1lb





CDS Certified Dipteran Specialist

Advanced flying insect management training

PestWest training brings you training with a difference giving you the advanced knowledge you need and the competitive advantage you want

Certified Dipteran Specialist is a certification program to provide pest management professionals and allied practitioners with knowledge to solve challenging pest problems within environmentally sensitive structures.

For more information or to register please contact us today!

Our unique educational ibook coming soon!



Whether you are a new or experienced pest management professional, PestWest's new iBook provides a content rich, video-centric experience.

Content from concepts in biology to insect physiology; IPM to public health; legal issues to insurance coverages; risk assessment to safety, and many others. The perfect quick refresher for busy PMPs!







A range of environmentally responsible models offering innovative designs with highly efficient yet discreet fly control.

This range of expertly engineered flying insect management systems significantly reduce both environmental footprint and energy bills. They include a state-of-the-art electronic ballast which improves UV lamp performance, lowers electrical consumption and avoids the need for starters.

- 3 year warranty
- Fast and easy to service (no tools required and no starters to replace)
- 14 Watt Quantum® T5 shatter resistant lamps
- · Electronic ballast
- Full metal construction
- Mantis® glue board and lamp type common throughout the line





Mantis VEGA

Find us on: Twitter Facebook & Google+



NOTES





PestWest USA LLC, 7135 16th Street E, Suite 124, Sarasota, FL 34243 office: 941.358.1983 fax: 941.358.1916 toll free: 866.476.7378 email: order@pestwest.com

www.pestwest.com

Confidence in **Fly Control**